Health Form For Children Diagnosed with Asthma

If your child has asthma, please fill out the information below (If you have filled out this information on a previous form, please do so again):

1.	Has your child ever been diagnosed with Asthma? yesno
	If yes, when was he or she diagnosed?
2.	Has your child been seen in the emergency room for asthma this pass year?yes no
3.	Does your child have any quick relief/rescue medication related to Asthma? yes no
	If yes, please list the medications
4.	Does your child take daily/routine medication for Asthma? yes no
	If yes, list daily/routine medications are being taken and how often (example: once/day, twice/day)
5.	What triggers your child's asthma?
	Emergency Contact Information
1.	Doctors name and phone number
	If applicable, Specialist's name and number
2.	

Asthma Action Plan



General Information:

■ Name				
■ Emergency contact				
■ Physician/healthcare provider				
■ Physician signature				
Severity Classification Intermittent	O Colds O Smoke O Weather O Exercise O Dust O Air Pollution		1. Premedication (how much and when) 2. Exercise modifications	
Green Zone: Doing Well	Peak Flow Meter Personal	Best =		
Symptoms	Control Medications:	<u> </u>		
■ Breathing is good ■ No cough or wheeze ■ Can work and play ■ Sleeps well at night Peak Flow Meter More than 80% of personal best or			When to Take It	
Yellow Zone: Getting Worse Symptoms	Contact physician if using Continue control medicines and a	_	ef more than 2 times per wo	eek.
 Some problems breathing Cough, wheeze, or chest tight Problems working or playing Wake at night 	Medicine How	w Much to Tak	When to Take It	
Peak Flow Meter Between 50% and 80% of personal best or to	IF your symptoms (and peak flow, if used) return to Green Zone after one hour of the quick-relief treatment, THEN Take quick-relief medication every 4 hours for 1 to 2 days. Change your long-term control medicine by Contact your physician for follow-up care.		IF your symptoms (and peak flow, if used) DO NOT return to Green Zone after one hour of the quick-relief treatment, THEN Take quick-relief treatment again. Change your long-term control medicine by Call your physician/Healthcare provider within hour(s) of modifying your	
Pad Zamar Madical Alort		•	medication routine.	
Red Zone: Medical Alert	Ambulance/Emergency Phone Number: Continue control medicines and add:			
Symptoms ■ Lots of problems breathing ■ Cannot work or play ■ Getting worse instead of better ■ Medicine is not helping		dd: w Much to Tak	When to Take It	
Peak Flow Meter Less than 50% of personal best or to	Go to the hospital or call for an ambulance if: Still in the red zone after 15 minutes. You have not been able to reach your physician/healthcare provider for help.		f: Call an ambulance immediately if the following danger signs are present: Trouble walking/talking due to shortness of breath. Lips or fingernails are blue.	